

NIR SPECTROPHOTOMETER

SL 153

PRODUCT SPECIFICATION SHEET



NIR Spectrophotometer

SL 153











laboratory viewfinder toxic use

fire resistant

INTRODUCTION

Nullam at mauris at nisi dapibus blandit sed pretium ligula. Nam at diam orci, id porta elit. Duis vitae enim ligula. Anliquam in pretium turpis. Nullam non consectetur orci.

Fusce accumsan, dolor sed tincidunt malesuada, libero magna euismod metus, at lacinia sem orci venenatis nibh.
Curabitur faucibus dapibus purus, quis euismod enim rutrum a. Pellentesque a vehicula est.
Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos.

SPECIFICATIONS

SPECTRAL

Range	600 to 2500 nm
Bandwidth	20 nm

PHOTOMETRIC

Range	± 2.5 Abs.
Stray light	<1% T at 2300 nm

MONOCHROMATOR

300 Lines/mm Concave Holographic Grating

GRATING DRIVE

Continuous scanning stepper motor drive

LIGHT SOURCE

Quartz Halogen Lamp

DETECTOR

Two colour detector Monitor (Si-Pbs)





FEATURES

- PC based, User-friendly & Menu driven .
- High performance Concave Grating Monochromator.
- Simple but most effective optical layout with minimum components .
- Transmittance & Reflectance measurements .
- Fast analysis.
- Advanced state-of-the-art MS Windows® based software for Data acquisition, Processing, Storage, Retrieval, Interpretation of Complex spectra, Quantitative estimation using Regression analysis & Presentation functions.
- Advanced Chemometrics, i.e, PLS calibration .
- Upto 4th derivative spectral data .
- Multiple constituents analysis .
- Fit error analysis .

APPLICATIONS

For determination of

Moisture, Oil, Protein, Fat, Starch, Amino Acids, Hydroxyl Number, Film Thickness, Lactose, Latex, Total Carbohydrates, Nicotine; Attributes like Stability, Internal damage etc.,

In the areas of

Chemical, Packaging,
Pharmaceuticals, Beverages,
Food & Dairy, Grain Analysis,
Pulp & Paper, Meats, Flour,
Textiles, Plastics, Sugar etc.,

INUDSTRIES USING





Connecting Science & Lab



Elico Ltd

B-90, A.P.I.E., Sanathnagar, Hyderabad 500 018, A.P., India tel +91 40 23770134 fax +91 40 23771639

elico@elico.co



Feedback or queries related to the product can be sent to us at support@elico.co

Any further information related to the product can be seen at www.elico.co/sl153

© 2012 Elico



